

WORLD'S 1ST DRY CUT RAIL SAW WITH INTEGRATED DUST CONTROL

10

O POWER TOOLS

E/



### WORLD'S 1ST DRY CUT RAIL SAW WITH INTEGRATED DUST CONTROL

### NO WATER. NO MESS. NO PROBLEM.

The IQ 252 is a 10"/254 mm dry cut rail saw for professional contractors, designed to eliminate problems with cutting wet, save time, and increases your profitability on tile jobs.

With fully integrated dust collection technology, this innovative tool allows you to cut tile inside or outside with no water and no dust.

### SPECS

52" rip cuts
 36" diagonal cuts
 OSHA Compliant

VOLTABE	120V	
TOTAL BYSTEM AMPERAGE	17amps	1
SAW MOTOR AMPERAGE	1.6hp/12amps	
VAC MOTOR AMPERAGE	.Bhp/Samps	
SAW WEIGHT	175 lbs	
BLADE SIZE	Q-Drive 10"Blade	_
FILTER TYPE	iQ Dura Bond	
CUTTING DEPTH	Cartridge 1"	_
DUST CAPACITY	11 lbs or over 500 LF	
SAW DIMENSIONS	24"W x 47"H x 68"L	



# Cut tile **DRY** inside or outside.



PERFORMANCE Cut clean, efficient and precise, with no water, no slurry and virtually no heat—even with hard materials.



10252

JOB VERSATILITY With a 10° blade, full-width table and 52° cut capacity, the IQ252° can handle even the tricklest and most technical tile jobs.



PORTABILITY

Built on wheels with a large stand, the IQ252° is easy to transport and set up in small spaces with no water source required.

Changing the industry one innovative tool at a time.



### VACUUM SYSTEM

- High output vacuum
- Saw automatically starts vacuum Cyclone technology tested to capture over 99.5% of dust
- Vacuum slot follows your cut



FILTER SYSTEM 3 stage filtration Quick spin filter for cleaning • IQ dura bond filter easy



DUST CONTAINMENT

- Empty dust tray once a day
- Easy cleanup
  Collect up tp 99.5% of dust created



## PORTABILITY LIKE NO OTHER SAW

 Set up and ready to cut in 30 seconds
 Easy to break down and transport

- No water required
- Store vertically for space savings



## INCREDIBLE PERFORMANCE

- 52 inch rip cut capacity
- Tinch depth of cut
- 0° to 45° bevel cutting
- · Capable to make plunge cuts and score cuts with effective dust capture . Cut large-format stone or tile
- Heavy duty 1.5 hp saw motor for precise smooth cutting



TIME SAVING

Saves one hour per day or more in costly setup & cleanup time while keeping the operator dry.



SUCTION THAT TRAVELS

Captures heavy debris, fine particles, and superfine particles. This allows for up to 99.5% dust capture from the cut.



DUST CONTAINMENT Built with an integrated dust collection chamber that holds 11 pounds of dust.